: SADDLE, OUTBOARD, RH, 206

Date:

. Monday, 2/11/2008 2:12:00 PM

User

Kim Johnston

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 37331

S.O. No. :

Estimate Number

: 10523

P.O. Number

This Issue

: 2/11/2008

Prsht Rev. First Issue

: NC

: // : 36626

Type

: MACHINED PARTS

Drawing Number Project Number

Drawing Revision

Part Number

Drawing Name

Material

Due Date

: D26652 D2665 REV. D

: N/A

: D

: 2/28/2008

Qty:

10 Um:

Each

Written By

Previous Run

Checked & Approved By

Comment

00.11.01

Removed P/O for Powder Coat - in

EC house process

Est Rev:D As per Rev D 07-03-19 JLM

Additional Product

Job Number:



Seq. #:

1.0

Machine Or Operation:

Description:

7075-T7351 2X6.25X7.875

Comment: Qty.: 1.0000 Each(s)/Unit

7075-T7351 2X6.25X7.875

Total: 10.0000 Each(s)

B34644

Cut Size 2.0" x 6.25" x 7.88"

Grain Along Long 7.88 Length HAAS CNC VERTICAL MACHINING #1

20

HAAS1

D6101003

Comment: HAAS CNC VERTICAL MACHINING #1

- 1- Program batch number
- 2- Machine Step # 1 of Folio and visually inspect as per attached Dimension Sheet
- 3- Machine Step # 2 of Folio and visually inspect as per attached Dimension Sheet
- 4- Machine Step # 3 of Folio and visually inspect as per attached Dimension Sheet

5- Deburn MILLING CONV.

CONVENTIONAL MILLING MACHINE



Comment: CONVENTIONAL MILLING MACHINE

Machine Keyway and inspect per attached dimension sheet

4.0

3.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE



5.0

QC8

SECOND CHECK



Comment: SECOND CHECK



Dart Aerospace Ltd

W/O:	W/O: WORK ORDER CHANGES								
DATE	STEP	PROCEDUR	PROCEDURE CHANGE			Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
		**		-					
							i	:	
		<u>.</u>							
	•	•							

Part No: D 2 6 65 - 2 PAR #: WA Fault Category: Prod part Nor: Ves No DQA: Date: Dat

NCR: 31	1331	WOR	RK	OF	RDER NON-CONFORMANCI	E (NCR)			
DATE	STEP	C	Initia	Eng		Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector
૦૪/૯/13	龙		251 251		-5 parts use aflateo. FAIRTS ACCEPTABLE	DJP 08/64/18	DELCO IL	08.06.13 QSI 0472	08/06/13
		R.C. wrong RAD tool was used LACK at attention							00/06/13
								·	

NOTE: Date & initial all entries

Date: Monday, 2/11/2008 2:12:01 PM User: Kim Johnston **Process Sheet** Drawing Name: SADDLE, OUTBOARD, RH, 206 Customer: CU-DAR001 Dart Helicopters Services Job Number: 37331 Part Number: D26652 Job Number: Description: Seq. #: **Machine Or Operation:** HAND FINISHING RESOURCE #1 HAND FINISHING1 6.0 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 POWDER COATING 7.0 POWDER COATING 107925 D26652 Comment: POWDER COATING 13 3 7331 90 Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSION 8.0 QC3 Comment: INSPECT POWDER COAT PACKAGING RES 9.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location 10.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Aero	space	Ltd
------------------	-------	-----

W/O:			:	WORK ORDE	R CHANGES					
DATE	STEP		PROCEDUR	E CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fau	t Category:	NCR	Yes	No DQA	:	_ Date:	

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC		Corrective Action Section B		Verification	Approval	Approval	
DATE	STEP	Section A Initia			Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector
					· ·				
								-	
· · · · · · · · · · · · · · · · · · ·									

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	3733
Description: 206 Saddle, Outboard, Right side	Part Number:	D2665-2
Inspection Dwg: D2665 Rev. D		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2665 Rev.D C and record below:

	·			Re	corded Actu	ual Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.100	0.140		.115	.115	0,128	0.118		
В	0.100	0.140		114	0.114	0.110	0.110		
С	1.125	1.145		1.250	1.135	1,135	1./336		
D	0.615	0.685		.665	.670	0.680	0,675		
E	0.240	0.260		248	.249	0.250	0.250		
F	1.313	1.343		1.321	1.323	1,326	1.326		
G	0.210	0.230		.223	,223	0.270	0.220		
Н	0.100	0.180		173	170	0,175	0.170		
I	2.470	2.510		2.496	2.499	2.500	1.574		
J	1.565	1.585		1575	1,575	1.575	1.574		
K	0.235	0.240		0.739	0.239	0.239	0.239		
L	0.100	0.120		107	. 108	0.110	0.110		
М	0.990	1.010		0.995	0.995	0996	12.994		
N	0.510	0.515		0.511	0.511	0511	2011		
0	5.990	6.010		6.001	6.001	6,003	1.249		
Р	1.245	1.255		1.250	1.250	1.2486	1.249		
Q	2.495	2.505		250	2500	2.498	7.499		
R	0.313	0.318		.3/3	.3155	0.3155	0.3155		
S	0.315	0.322		.321	0.322	0.322	0.322	,	
T	2.495	2.505		2.500	2.500	2.500	2500		
U	1.357	1.367		1.362	1.362	1,362	1.362		
V	0.787	0.8074		.797	1.362	0.797	0.797		
W	0.540	0.560		,551	1551	0.548	0.548		
X	1.674	1.684		1.679	1.679	1.679	1.680		
Y	0.257	0.262		258	.255	0.255	0,260		
Z	0.912	0.932		.920	. 922	0.922	0.921		
AA	0.490	0.510		,500	0.506		0,502		
AB	0.178	0.198		V188,250	.250	ant 88	,250		
AC						.2505			
AD									
AE			-						
AF									
	Acc	ept/Reje	ct						

Measured by:

Date: 05/05/09

Audited by
Date: 00/06/09

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
С	99.11.10	Added Dim. R-T	RF	
D	02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686	KJ/RF	
É	06.07.05	Revised per drawing revision C	KJ/JLM , ,	1
·F	07.03.21	Revised per drawing revision D	KJ/JLM 🚓	

DART AEROSPACE LTD	Work Order:	37331
Description: 206 Saddle, Outboard, Right side	Part Number:	D2665-2
Inspection Dwg: D2665 Rev. D		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2665 Rev.D C and record below:

<u> </u>				Re	ual Dimensi	ons			
Dim	Min	Max	Go/No Go Gauge	3	6	7	8	Ву	Date
Α	0.100	0.140		0.127	0114	0.114.	0.115.		
В	0.100	0.140		0.116	0.127	0.124	0.124		
С	1.125	1.145		1.1335	1.129	1.1295	1.130		
D	0.615	0.685		0.670	0.685	0.685	0.680		
E	0.240	0.260		0.249	0253	0.253	0.253		
F	1.313	1.343		1.321	1.323	1.323	1,323		
G	0.210	0.230		0.219	0.2195	0.2195	0.221		
Н	0.100	0.180		0,160	0./40	0,140	0,140		
ı	2.470	2.510		2.500	2.499	2.501	2,499		
J	1.565	1.585		1,5735	1.568	1.5685	1570		
K	0.235	0.240		0.739	0.739	0.239	6.239		
L	0.100	0.120		0,110	0.110	0.10	0.110		
М	0.990	1.010		0.993	0.993	0.993	0.997		
N	0.510	0.515		0,511	0.511	0.54	0.511		
0	5.990	6.010		10,000	60002	6002	6.002		
Р	1.245	1.255		1.2489	1,249	1.749	1.250	,	
Q	2.495	2.505		2.499	2500	2.500	1.250 2.499		
R	0.313	0.318		0.3155	0.3155	0.3155	0.3155		
S	0.315	0.322		0.322	0.322	0.322	0.322		
Т	2.495	2.505		2.500	2.498	2.499	2,500		
U	1.357	1.367		1.362	1.363	1.362	1.363		
V	0.787	0.807		0.797	0.758	0.798	0.795		
W	0.540	0.560		0,5485	0.552	0.550	0.550	,	
X	1.674	1.684	* .	1.679	1.679	1.680	1.679		
Υ	0.257	0.262		0.260	0,2595	0.260	0.260		
Z	0.912	0.932	1	0.922	0.921	0.920	0.918		
AA	0.490	0.510	* *******	0.498	0.498	0.499	0.498		
AB	0.178	0.198		0.250	0188	0.188	0.188		
AC									
AD									
AE									
AF									-
	Acc	ept/Reje	ct	· · ·	<u> </u>				

Measured by: DTV.	Audited by
Date: 08/06/13	Date: 69/16/19

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
С	99.11.10	Added Dim. R-T	RF	
·D	02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686	KJ/RF	
E	06.07.05	Revised per drawing revision C	KJ/JLM ,	1
F	07.03.21	Revised per drawing revision D	KJ/JLM O	


DART AEROSPACE LTD	Work Order:	37331
Description: 206 Saddle, Outboard, Right side	Part Number:	D2665-2
Inspection Dwg: D2665 Rev. D		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2665 Rev.D C and record below:

•				Recorded Actual Dimensions			Delow.		
Dim	Min	Max	Go/No Go Gauge	9	10	3	4	Ву	Date
Α	0.100	0.140		OUK	0.1125				
В	0.100	0.140		0.126	9.125				
С	1.125	1.145		1.130	1,128				·····
D	0.615	0.685		0.680	0.680				, W. S. M.
E	0.240	0.260		0.2<3	0.254				
F	1.313	1.343		1,323	1.322				
G	0.210	0.230		0.220	0.219				
Н	0.100	0.180		0.140	0140				
ı	2.470	2.510		2,500	2500				
J	1.565	1.585		1,5695	1.5675				
K	0.235	0.240		0.239	0.239	<u></u>			
L	0.100	0.120		0.110	0,10				
М	0.990	1.010		0,995	0.915				
Ν	0.510	0.515		0.511	0.511				
0	5.990	6.010		60001	6.001				
P	1.245	1.255		1.249	1.250				
Q	2.495	2.505		2,500	2,500				
R	0.313	0.318		0.3155	0.355				
S	0.315	0.322		0.322	0.322		e.		
Т	2.495	2.505		2.500	2.500				
U	1.357	1.367		1,362	1.363				
V	0.787	0.807		0.757	0.797				
W	0.540	0.560		0.5495	0.550				
X	1.674	1.684		1.679	1.680				···
Υ	0.257	0.262		0.260	0.260				
Z	0.912	0.932		0,920	0.918				
AA	0.490	0.510		0,497	0.501				
AB	0.178	0.198		01180	01188				
AC									
AD									
ΑE									
AF									
	Acc	ept/Reje	ct						

Measured by:	Audited by
Date: 08/06/16	Date: 05/06/18
00/06/16	

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
С	99.11.10	Added Dim. R-T	RF	
D	02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686	KJ/RF	
Ē	06.07.05	Revised per drawing revision C	KJ/JLM , ,	1
F	07.03.21	Revised per drawing revision D	KJ/JLM	



THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.